Sectt. II-27—50,006—27-10-41.

Public Works (1942) Department.

Ms. SERIES.

G.O. No. 4545

Dated the 11th December 1942

[Despatch Abstract.]

Electricity - Hospet Electric Licence - Amendment - to Booklet of conditions and Rules of Supply - part I Approved.

85-90

M 2084

9.11.42

C.F. 32 (a).

Municipal Department

From (Name) Sri.R.Lakshmipathy,B.A.,

Designation Commissioner,Hospet Municipality,

Station Hospet.

Received Registered

To

The Secretary to Government,
Public Works Department,
Madras.

Through,
The Chairman,Municipal Council,Hospet.

Through The Chief Electrical Inspector to Government Metter Dau

Enclosures:

Three

C. No. 2666/42-E1 dated 4-11-1942

Sir,

Sub:- Lighting - Electricity -Booklet of rates and conditions - amendment approval requested.

Ref:-(1)G.O.No.Ms.2597 dated 27-10-41 (extract of third para enclosed).
(ii)Circular No.1152 dated 13th November 1942.
(iii)Council resolution No.513 dated 22-12-41.
(iv) Letter G.1426 dated 20-8-42.

Forwarded

Chairman
Vice Chairman

The Chief Electrical Inspector to Government in his letter No.G.1426 dated 20-8-42 has pointed out that the Government approval is necessary for the amendment proposed to the Booklet of rates and conditions in council resolution C.R.No.513 dated 22-12-41.

I therefore beg to submit herewith the draft amendment to the booklet of rates and conditions approved in council resolution No.513 dated 22-12-41 and request that the Government may be pleased to approve the same.

E.O
p.o. Draft
n/9/11

Yours faithfully
Commissioner. 5.11.42

time and date; if the meter is now made available for reading, consumer will be charged the actual consumption less the minimum charged or paid for the first month of inaccessibility, subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for re-connection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inacessibility of the meter upto the time of disconnection. If the consumer applies for re-connection, fees under clause 8 of Part III of the booklet will be collected before reconnection.

(True copy)

Commissioner.

S.B.5.11.

5/11/42

Copy of letter No.E.1426 dated 20-3-42 of the Chief Electrical Inspector to Government, Kettur Dam.P.O. ~~xxxthx~~

Sub:- Door lock cases - Rebates due to consumer.

Ref:-This office circular No.1152 dated 1.-11-42 and your letter No.E.Dis.No.5553/41-A dated 23-12-41.

It is noted that you agree to adopt the amendment as approved by Government. As every amendment to the booklet should be approved by Government. I would request you to submit an application to Government through this office for permission to incorporate the amendment in the Booklet of conditions.

Sd x x
For Chief Electrical Inspector
to Government.

(True copy)

Commissioner.

S.B,5.11.

Office of the
Chief Electrical Inspector to Governme
Triplicane, Madras.

Endorsement No. M.29.B.826 dated 24th November 1942.

Sub: Hospet Electric licence - Booklet of Rates and Conditions of supply - Amendment.
Ref: Letter C.No.2666/42.El. dated 4-11-42 from the Commissioner, Municipal Council, Hospet.

F o r w a r d e d.

The proposed amendment to condition 16 of Part I of the booklet of Rates and conditions of supply is in order and may be approved. The reference to 'clause 9' in the last sentence of the proposed amendment should however read 'clause 8'.

Chief Electrical Inspector
to Government. 24/11.

To The Secretary to Government,
Public Works Department, Madras, (with enclosure),
Through The Chief Engineer for Electricity,
Chepauk, Madras.

UNDER SECRETARY TO GOVERNMENT
VII / 1
1942
3894
PUBLIC WORKS DEPARTMENT

11

Endorsement No. 6206 G/42-1 dated 1st December 42.

~~~

Hospet Electric Licence - Booklet of rates and conditions of supply - Amendment.

From the Chief Elecl. Inspector to Government Endt. No.M.29 B 826 d. 24-11-42.

Forwarded.

2/ I agree to the remarks of the Chief Elecl. Inspector to Government.

3/ I consider that proposals for ~~xxxx~~ such amendments to booklet of conditions may be suspended for the duration of the war. If Government agree Chief Elecl. Inspector to Government may be informed accordingly.

for Chief Engineer (Elecy)

To the Secretary to Government, Public Works Dept.(with encls)
~~~

12 Lyons. 4 5 4 5 D) 11—12—42 C-No 3844/VII/42 P.W. Supply

Elec - Hospet Elec Licences - Amendment to Booklet of Condns & rates & supply - Part I - Approved.

Ref ante From the Commr Hospet mty No. C.2666/42/E dd 4-11-42
Ref ante — do — C.E.I. by Endt No. M.29.B.826 dated 24-11-42.
Ref ante — do — C.E for Elec — do — 6206 E/42-I do — 1-12-42

The following amendment to the Booklet of Condns, rates & general information for the supply of electric energy by the Hospet municipal Council is approved:-.

For the last para of clause 16. of Part I substitute the following:-

[Here type portion A with 3-4 cys]

2/- The Commr, Hospet mty is requested to send to the Govt four copies of the printed corrections slips to the booklet as early as possible.

Para 3 ante Ref ante 3/. The Chief Elec Inspector to Govt is informed that it is considered that in future cases proposals for such amendments to the booklet of Condns may be suspended for the duration of the war. It is presumed that there is no objection to this.

To the Commr, Hospet mty through the C.M.C (paras 1 & 2 only)
" Chief Elec Inspector to Govt
Copy " C.E for Elec. ✓ 15.12.42

(C) The C.E.I. & the C.E.E recommend the proposed amendment. With ref to para 3 of the C.E.E's Endt, a para has been added to the draft order. Similar amendments have been approved by Govt - recently - those are Govs 4442/E 8-12-42 (B)
3904/26-X-42, & 4414/12-12-42)

ELECTRICITY DEPARTMENT.

Fro

Sri T.J. Mirchandani,
Chief Electrical Inspector to Government,
Triplicane, Madras.

To

The Secretary to Government,
Public Works Department, MADRAS.

No.G.22, dated the 6th January 1943.

S i

Ref: G.O.No.Ms.4545 dated 11th December
Sub: Amendments to Booklets of Rates an
conditions.

There is no objection to defer consideration of minor or unimportant amendments to rates and conditions of supply of licensees for the duration of the war.

Chief Electrical Inspector
to Government.

/NR/11.1.43.

C.F. 32 (a).

Local Administration Department

From (Name) Sri.V.Somadundara Rao
M.B.B.S., D.P.H.,
Designation Commissioner Delegate,
Hospet Municipality,
Station Hospet.

15

Received 14 FEB 1943 Registered

To

The Secretary to Government
Public Works Department,
Madras.

Through The Chairman, Municipal Council
Hospet.

Enclosures:

No. C.No. 2666-E1/42 dated 10 - 2- 1943.

-four-

Sir,

Sub:- Lighting - Electricity - Hospet Municipal Electric licence-amendment to the booklet of conditions and rates of supply Part I ~~ex~~ -approved- four copies of correction slips submitted

Ref:- G.O. M.S No. 4545 dated 11-12-1942.

I beg to submit he four copies of printed correction slips as ~~ex~~ referred ~~x~~ to above. ~~d~~ in para 2 of the G.O.

Commissioner Delegate. 11/2/43

HR/11.2

Forwarded.
11/2

11/2/43

P.W. dept
maybe filed with Govt
4545 P.W. dt 11-12-42.

Corrections
pasted in the booklet.
15/2/43

16

9

H\TI'S

Commissioner, Geneva.

Delegation A to above.
collection slips as exhibited in para 5 of the ...
I beg to submit herewith four copies of bulle...

Ref:- ...C. ... No. dated 11-12-1...

Please ... - Miscellaneous.

Public Use-Amendment to the Booklet of Definitions ...
Pin:- Filming - Technicians - Other Industry

...10. 5000-7\45 10 - 5-

...ue Publishing ... 1 ...
...Public Use Booklet ...
...Collection ... Agent ...

...

G. O. Ms. No. 4545 dated 11th December 1942.

FOR the last para of clause 16 of Part I SUBSTITUTE the following:—

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, for the first month of such inaccessibility the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand the meter remains inaccessible in the second month also the consumer will be served with a 24 hours' notice (section 20 Indian Electricity Act, 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for the first month of inaccessibility, subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for re-connection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for re-connection, fees under clause 8 of Part III of the booklet will be collected before reconnection.